



Clear-Air
 Clear-Air-Grids
 LowE-Air
 LowE-Air-Grids
 LowE-Argon
 LowE-Argon-Grids
 LowE-Argon-Foam
 LowE-Argon-Foam-Grids
 Triple-LowE(#2,#5)-Argon
 Triple-LowE(#2,#5)-Argon-Grids
 Triple-LowE(#2,#5)-Krypton
 Triple-LowE(#2,#5)-Krypton-Grids
 Triple-LowE(#2,#5)-Argon-Foam
 Triple-LowE(#2,#5)-Argon-Grids-Foam
 Triple-LowE(#2,#5)-Krypton-Foam
 Triple-LowE(#2,#5)-Krypton-Grids-Foam

| | | | | | | | | | | | | | | | | | |
|---------------------------------|---------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 201 Single Hung | U-Value | 0.46 | 0.46 | 0.32 | 0.32 | 0.28 | 0.28 | 0.27 | 0.27 | 0.24 | 0.25 | 0.19 | 0.2 | 0.22 | 0.23 | 0.17 | 0.18 |
| DP - 55 | SHGC | 0.63 | 0.56 | 0.38 | 0.34 | 0.37 | 0.34 | 0.37 | 0.34 | 0.32 | 0.29 | 0.32 | 0.29 | 0.32 | 0.29 | 0.32 | 0.29 |
| Air - 0.02 cfm/ft ² | VT | 0.65 | 0.58 | 0.56 | 0.50 | 0.56 | 0.50 | 0.56 | 0.50 | 0.44 | 0.39 | 0.44 | 0.39 | 0.44 | 0.39 | 0.44 | 0.39 |
| Water - 8.25 psf | CR | 46 | 46 | 58 | 58 | 62 | 62 | 62 | 62 | 68 | 68 | 68 | 68 | 69 | 69 | 74 | 74 |
| 201 Slider | U-Value | 0.46 | 0.46 | 0.32 | 0.32 | 0.28 | 0.28 | 0.27 | 0.27 | 0.24 | 0.25 | 0.19 | 0.2 | 0.23 | 0.24 | 0.17 | 0.18 |
| DP - 35 | SHGC | 0.63 | 0.56 | 0.38 | 0.34 | 0.37 | 0.34 | 0.37 | 0.34 | 0.32 | 0.29 | 0.32 | 0.29 | 0.32 | 0.29 | 0.32 | 0.29 |
| Air - 0.06 cfm/ft ² | VT | 0.65 | 0.58 | 0.56 | 0.50 | 0.56 | 0.50 | 0.56 | 0.50 | 0.44 | 0.39 | 0.44 | 0.39 | 0.44 | 0.39 | 0.44 | 0.39 |
| Water - 6.75 psf | CR | 46 | 46 | 59 | 59 | 63 | 63 | 63 | 63 | 68 | 68 | 69 | 69 | 69 | 69 | 73 | 73 |
| 801 Double Hung | U-Value | 0.45 | 0.45 | 0.32 | 0.32 | 0.28 | 0.28 | 0.26 | 0.26 | 0.24 | 0.25 | 0.19 | 0.2 | 0.22 | 0.23 | 0.17 | 0.18 |
| DP - 40 | SHGC | 0.61 | 0.54 | 0.37 | 0.33 | 0.36 | 0.33 | 0.36 | 0.33 | 0.31 | 0.28 | 0.31 | 0.28 | 0.31 | 0.28 | 0.31 | 0.28 |
| Air - 0.11 cfm/ft ² | VT | 0.63 | 0.56 | 0.55 | 0.49 | 0.55 | 0.49 | 0.55 | 0.49 | 0.43 | 0.38 | 0.43 | 0.38 | 0.43 | 0.38 | 0.43 | 0.38 |
| Water - 6.0 psf | CR | 45 | 45 | 58 | 58 | 62 | 62 | 62 | 62 | 66 | 66 | 70 | 70 | 67 | 67 | 75 | 75 |
| 801 Slider | U-Value | 0.45 | 0.45 | 0.31 | 0.31 | 0.28 | 0.28 | 0.26 | 0.26 | 0.24 | 0.25 | 0.19 | 0.19 | 0.22 | 0.23 | 0.17 | 0.18 |
| DP - 40 | SHGC | 0.61 | 0.54 | 0.36 | 0.33 | 0.36 | 0.33 | 0.36 | 0.33 | 0.31 | 0.28 | 0.31 | 0.28 | 0.31 | 0.28 | 0.31 | 0.28 |
| Air - 0.06 cfm/ft ² | VT | 0.63 | 0.56 | 0.55 | 0.49 | 0.55 | 0.49 | 0.55 | 0.49 | 0.43 | 0.38 | 0.43 | 0.38 | 0.43 | 0.38 | 0.43 | 0.38 |
| Water - 6.75 psf | CR | 46 | 46 | 59 | 59 | 62 | 62 | 62 | 62 | 67 | 67 | 72 | 72 | 69 | 69 | 75 | 75 |
| 701 Casement | U-Value | 0.43 | 0.43 | 0.30 | 0.30 | 0.27 | 0.27 | 0.24 | 0.24 | 0.24 | 0.25 | 0.19 | 0.2 | 0.21 | 0.21 | 0.16 | 0.17 |
| DP - 80 | SHGC | 0.56 | 0.51 | 0.34 | 0.31 | 0.34 | 0.31 | 0.34 | 0.31 | 0.29 | 0.26 | 0.29 | 0.26 | 0.29 | 0.26 | 0.29 | 0.26 |
| Air - <0.01 cfm/ft ² | VT | 0.58 | 0.53 | 0.50 | 0.46 | 0.50 | 0.46 | 0.50 | 0.46 | 0.40 | 0.36 | 0.40 | 0.36 | 0.4 | 0.36 | 0.4 | 0.36 |
| Water - 12.0 psf | CR | 45 | 45 | 58 | 58 | 62 | 62 | 64 | 64 | 66 | 66 | 72 | 72 | 69 | 69 | 77 | 77 |
| 751 Casement | U-Value | | | | | 0.28 | 0.28 | 0.25 | 0.25 | 0.24 | 0.25 | 0.19 | 0.2 | 0.21 | 0.22 | 0.17 | 0.17 |
| DP - 70 | SHGC | | | | | 0.34 | 0.31 | 0.34 | 0.31 | 0.29 | 0.26 | 0.29 | 0.26 | 0.29 | 0.26 | 0.29 | 0.26 |
| Air - <0.01 cfm/ft ² | VT | | | | | 0.50 | 0.46 | 0.50 | 0.46 | 0.40 | 0.36 | 0.40 | 0.36 | 0.4 | 0.36 | 0.4 | 0.36 |
| Water - 12.0 psf | CR | | | | | 63 | 63 | 65 | 65 | 66 | 66 | 73 | 73 | 69 | 69 | 77 | 77 |
| 851 Double Hung | U-Value | | | | | 0.29 | 0.30 | | | | | | | | | | |
| DP - 45 | SHGC | | | | | 0.28 | 0.25 | | | | | | | | | | |
| Air - 0.13 cfm/ft ² | VT | | | | | 0.50 | 0.44 | | | | | | | | | | |
| Water - 7.5 psf | CR | | | | | 59 | 59 | | | | | | | | | | |
| 3101 Patio | U-Value | 0.46 | 0.46 | 0.31 | 0.31 | 0.28 | 0.28 | | | 0.23 | 0.24 | 0.18 | 0.18 | | | | |
| DP - 35 | SHGC | 0.66 | 0.59 | 0.40 | 0.35 | 0.40 | 0.35 | | | 0.34 | 0.30 | 0.34 | 0.3 | | | | |
| Air - 0.04 cfm/ft ² | VT | 0.69 | 0.61 | 0.60 | 0.53 | 0.60 | 0.53 | | | 0.47 | 0.42 | 0.47 | 0.42 | | | | |
| Water - 6.0 psf | CR | 45 | 45 | 58 | 58 | 61 | 61 | | | 66 | 66 | 67 | 67 | | | | |
| 2000 Patio | U-Value | 0.45 | 0.45 | 0.31 | 0.31 | 0.28 | 0.28 | | | 0.24 | 0.25 | 0.18 | 0.19 | | | | |
| DP - 30 | SHGC | 0.62 | 0.55 | 0.38 | 0.33 | 0.38 | 0.33 | | | 0.32 | 0.29 | 0.32 | 0.29 | | | | |
| Air - 0.04 cfm/ft ² | VT | 0.66 | 0.58 | 0.57 | 0.50 | 0.57 | 0.50 | | | 0.45 | 0.39 | 0.45 | 0.39 | | | | |
| Water - 6.0 psf | CR | 47 | 47 | 59 | 59 | 63 | 63 | | | 66 | 66 | 66 | 66 | | | | |

Based on test results current as of 09/12/2016